

HUSQVARNA LC 419SP

A high performance self-propelled mower with rear-wheel drive and a large 48cm (19") cutting deck for long life and more efficient cutting, plus a powerful OHV four stroke engine and four cutting blades to give a superior cut and finish to your lawn. Features include dual ball bearing wheels, comfort grip folding handles with quick action cam locks, safety zone starting, large plastic catcher and eight cutting heights. Comes complete with mulch plug.



Cutting height adjustment

Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.



Foldable handle

Quick action cam lock levers for fast and easy transport or storage.



Easy to operate self-propelled function integrated into the comfort handle



Two-in-one cutting system

Excellent versatility thanks to two different cutting systems: collection and BioClip® (mulching). Supplied standard with a grass collector and BioClip® mulch insert.



FEATURES

- Self-propelled
- Quick action cam lock levers for fast and easy transport or storage.
- Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.
- Two-in-one cutting system
- Efficient cutting
- Large collector

Technical Specifications	
BATTERY	
Battery capacity	O Ah
Battery type	
CAPACITY	
Net power at preset rpm	2900 rpm
Output shaft power	2.75 kW
Power rating	2750 W
DIMENSIONS	
Article gross weight	38500 g
Article net weight	35200 g
Collector volume	441
Cutting width	48 cm
Cylinder displacement	166 cm ³
Handle height adjustment	None
Height	98 cm
Length	146 cm
Weight (complete product w/o side packed articles)	32.0 kg
Wheel size, Front	210 mm
Wheel size, Rear	210 mm 56 cm
Wheelbase Width	56 cm 51 cm
ENGINE	STGIII
	100 and
Cylinder displacement	166 cm ³
Electrode gap Engine brand	0.75 mm Husqvarna
Engine cooling	Air
Engine rame	HS 166A
Fuel tank volume	11
Spark Plug	Husqvarna HQT-7
EQUIPMENT	Transplanta (1917)
Air filter type	Paper
Ball bearing wheels	Yes
BioClip® kit	Not available as accessory (NOT AVAILABLE)
BioClip® plug	Included
Blade brake clutch (BBC)	No
Blade type	Swing blades
Collector	Included
Collector type	Rigid box
Collector volume	441
Deflector	No
Drive control	Underbail
Drive system	Self-propelled
Drive wheels	Rear
Foldable handle	Yes
Foldable handlebar	Yes
Handle type	Up-turned
Lawnmower drive type Side adjustable handle	Self-propelled No
Soft grip	Yes
Throttle control	Yes
Water hose connection	Yes
Wheel bearing, front/rear	Yes/Yes
Connectivity	Not applicable
LUBRICANTS	
Engine lubrication type	Splash
Fuel consumption	407 g/kWh
Fuel consumption	0.02331/min
Oil filter	No
Power/fuel type	Petrol
MATERIALS	
Bail-arm material	Metal
Cutting deck material	Aluminium
	0 g
Master pack: Paper material Metal total	0 g
Master pack: Paper material	
Master pack: Paper material Metal total	0 g 2750 g 3970 g
Master pack: Paper material Metal total Paper (PAP 22) Paper material total HDPE (02) total	2750 g 3970 g 0 g
Master pack: Paper material Metal total Paper (PAP 22) Paper material total	2750 g 3970 g

Technical Specifications	
Plastic rigid total	Og
Plastic total	Og
PS/EPS/HIPS (06) total	0 g
Rims, material	Plastic
PACKAGING	
Packaging height	510 mm
Packaging length	900 mm
Packaging volume	257 dm ³
Packaging width	560 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	94 dB(A)
Sound power level, measured	96.0 dB(A)
Sound pressure level at operators ear	82.0 dB(A)
VIBRATIONS	
Vibrations handlebar	7.5 m/s ²