




Husqvarna 120iTK4-PH without battery and charger

Husqvarna 120iTK4-PH – a battery-powered 2-in-1 pole saw and hedge trimmer that delivers petrol performance combined with a low noise level. It comes with hedge trimmer and pole saw attachment, making the 120iTK4-PH a versatile tool that can be used for both hedge trimming and cutting branches. Equipped with a telescopic tube with up to 4 m reach and a split shaft that facilitates transport.



Transport mode

The product can be split in half without using tools, for easy transportation and storage.



Low Carbon Emissions

By choosing this product, you can feel confident that it produces lower carbon emissions during active use compared to a traditional petrol product. This battery-driven product does not emit any CO₂ during use while still providing the power and quality that you expect from a Husqvarna product. However, it's important to note that CO₂ emissions are generated during other stages of the product's lifecycle, such as production, charging and end-of-life disposal.

Quiet operation

The low noise level contributes to a pleasant working environment and minimal disturbance to the surroundings.



Telescopic tube

Telescopic tube for quick cutting height adjustment makes it convenient to adapt to different tasks.



FEATURES

- The low noise level contributes to a pleasant working environment and minimal disturbance to the surroundings.
- This product does not emit CO emissions during use.
- The product can be split in half without using tools, for easy transportation and storage.
- Telescopic tube for quick cutting height adjustment makes it convenient to adapt to different tasks.
- The product automatically shuts down when left unattended, extending battery life and reducing injury risk.
- Husqvarna's flexible 36V system BLi-X offers battery power for everything from light and demanding homeowner tasks to professional use.
- Compact, lightweight design for comfortable, ergonomic use and less strain on the body.
- SavE™ mode maximises the run time by lowering the rpm and is ideal for tasks that do not require full power.
- Quick and easy chain tensioning and assembling of the bar and the chain without using any tools.

Technical Specifications	
BATTERY	
Battery	No
Battery capacity	2.0 Ah
Battery type	--
Battery voltage	36 V
CAPACITY	
Chain speed at max power	10 m/s
Oil pump capacity, max	5 ml/min
DIMENSIONS	
Article gross weight	11600 g
Article net weight	8500 g
Bar length	25 cm
Full length, including cutting equipment	304 cm
Size	10
Tube diameter	35 mm
Tube length	1900 mm
Weight (excl. battery and cutting equipment)	6.1 kg
Weight (excl. cutting equipment)	6.1 kg
ENGINE	
Motor type	PMDC (2 brushed)
EQUIPMENT	
Chain type	H00
Connected digital function set (calc)	Husqvarna Common Service Tool : N/A N/A
Pitch	1/4"
Sprocket type	Spur
Connectivity	Not applicable
LUBRICANTS	
Oil tank volume	0.07 l
Power/fuel type	Battery
MATERIALS	
Master pack: Paper material	0 g
Metal total	0 g
Paper material total	0 g
HDPE (02) total	0 g
PET (01) total	0 g
Plastic foil total	0 g
Plastic rigid total	0 g
Plastic total	0 g
PS/EPS/HIPS (06) total	0 g
PACKAGING	
Packaging height	190 mm
Packaging length	1400 mm
Packaging volume	74.48 dm ³
Packaging width	280 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	97 dB(A)
Sound power level, measured	93.79 dB(A)
Sound pressure level at operators ear	80.6 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	1.475 m/s ²
Daily Vibration Exposure (A8)	1.475 m/s ²
Daily Vibration Time (Time factor)	3 h
Equivalent vibration level,(ahv, eq), front handle, collapsed	0.793 m/s ²
Equivalent vibration level (ahv, eq) rear handle	0.773 m/s ²
Equivalent vibration level,(ahv, eq), rear handle, extended	0.773 m/s ²
Vibrations handlebar	1.475 m/s ²

ACCESSORIES



HUSQVARNA POLE SAW
ATTACHMENT - BATTERY SERIES PK4
529 35 19-01



BATTERY BAG
585 37 18-01



PROTECTIVE GLASSES - CLEAR X
544 96 37-01



HUSQVARNA HEDGE TRIMMER
ATTACHMENT - BATTERY SERIES HK4
529 35 19-02



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 39, AU/NZ 5.5
597 65 94-39



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 40, AU/NZ 6.5
597 65 94-40



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 41, AU/NZ 7.5
597 65 94-41



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 42, AU/NZ 8
597 65 94-42



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 43, AU/NZ 9
597 65 94-43



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 44, AU/NZ 9.5
597 65 94-44



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 45, AU/NZ 10.5
597 65 94-45



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 46, AU/NZ 11
597 65 94-46



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 47, AU/NZ 12
597 65 94-47



QC250 BATTERY CHARGER
967 97 01-05



BLI10 BATTERY
967 09 16-01



BLI20 BATTERY
967 09 17-01



PROTECTIVE GLASSES - SUN X
544 96 37-03