



Husqvarna 120iTK4-H without battery and charger

Husqvarna 120iTK4-H – a battery-powered pole hedge trimmer that delivers petrol performance combined with a low noise level. It comes with a hedge trimmer attachment but can also be combined with a pole saw attachment, making the 120iTK4-H a versatile tool that can be used for both hedge trimming and cutting branches. Adjustable 7-angled cutting deck means you can easily set a comfortable cutting position for different tasks, such as cutting hard-to-reach sides or hedges of different heights. Equipped with a telescopic tube with up to 4 m reach and a split shaft that facilitates transport.



Low Carbon Emissions

By choosing this product, you can feel confident that it produces lower carbon emissions during active use compared to a traditional petrol product. This battery-driven product does not emit any CO₂ during use while still providing the power and quality that you expect from a Husqvarna product. However, it's important to note that CO₂ emissions are generated during other stages of the product's lifecycle, such as production, charging and end-of-life disposal.



Telescopic tube

The tube has a telescopic function for quick cutting height adjustment

Quiet operation

The low noise level contributes to a pleasant working environment and minimal disturbance to the surroundings.



Transport mode

The product can be split in half without using tools, for easy transportation and storage.



FEATURES

- The low noise level contributes to a pleasant working environment and minimal disturbance to the surroundings.
- Telescopic tube for quick cutting height adjustment
- This product does not emit CO emissions during use.
- The product can be split in half without using tools, for easy transportation and storage.
- Articulated cutting deck adjustable in 7 angels for convenient cutting position
- The product automatically shuts down when left unattended, extending battery life and reducing injury risk.
- Husqvarna's flexible 36V system BLi-X offers battery power for everything from light and demanding homeowner tasks to professional use.
- Compact, lightweight design for comfortable, ergonomic use and less strain on the body.
- SavE™ mode maximises the run time by lowering the rpm and is ideal for tasks that do not require full power.

Technical Specifications

BATTERY	
Battery	No
Battery charger	Not included
Battery type	--
Battery voltage	36 V
Number of batteries included	0
CAPACITY	
Cutting speed	2800 cut/min
Teeth opening	20 mm
DIMENSIONS	
Article gross weight	7000 g
Article net weight	5400 g
Full length, including cutting equipment	287 cm
Knife length	50 cm
Recommended maximum twig diameter	15 mm
Weight (excl. battery)	4.525 kg
ENGINE	
Gear ratio	13.8
Motor type	PMDC (2 brushed)
EQUIPMENT	
Drive gear angle	0°
Connectivity	Not applicable
LUBRICANTS	
Power/fuel type	Battery
PACKAGING	
Packaging height	185 mm
Packaging length	1400 mm
Packaging volume	56.98 dm ³
Packaging width	220 mm
Pallet layers	12
Quantity in Master pack	1
MATERIALS	
Master pack: Paper material	0 g
Metal total	0 g
Paper (PAP 22)	300 g
Paper material total	2070 g
LDPE (04) foil	5 g
HDPE (02) total	0 g
PET (01) total	2 g
Plastic foil total	5 g
Plastic rigid total	2 g
Plastic total	7 g
PS/EPS/HIPS (06) total	0 g
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	94 dB(A)
Sound power level, measured	91.32 dB(A)
Sound pressure (15m)	71.32 dB(A)
Sound pressure level at operators ear	81.3 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	1.223 m/s ²
Daily Vibration Exposure (A8)	1.223 m/s ²
Daily Vibration Time (Time factor)	3 h
Equivalent vibration level (ahv, eq) front handle	1.223 m/s ²
Equivalent vibration level (ahv, eq), front handle, collapsed	1.223 m/s ²
Equivalent vibration level (ahv, eq) rear handle	0.816 m/s ²
Equivalent vibration level (ahv, eq), rear handle, extended	0.816 m/s ²
Vibrations handlebar	1.223 m/s ²

ACCESSORIES



BLI20 BATTERY
967 09 17-01



HUSQVARNA CHARGER 40-C80
970 48 78-05



HUSQVARNA POLE SAW
ATTACHMENT - BATTERY SERIES PK4
529 35 19-01



PREMIUM EARMUFFS WITH
HEADBAND
505 66 53-04



PROTECTIVE GLASSES - CLEAR X
544 96 37-01



GLOVES, FUNCTIONAL LIGHT
NON-SLIP
529 88 02-07



GLOVES, FUNCTIONAL LIGHT
NON-SLIP
529 88 02-08



GLOVES, FUNCTIONAL LIGHT
NON-SLIP
529 88 02-09



GLOVES, FUNCTIONAL LIGHT
NON-SLIP
529 88 02-10



GLOVES, FUNCTIONAL LIGHT
VENT
529 88 01-07



GLOVES, FUNCTIONAL LIGHT
VENT
529 88 01-08



GLOVES, FUNCTIONAL LIGHT
VENT
529 88 01-09



GLOVES, FUNCTIONAL LIGHT
VENT
529 88 01-10



GLOVES, TECHNICAL GRIP
529 88 03-07



GLOVES, TECHNICAL GRIP
529 88 03-08



GLOVES, TECHNICAL GRIP
529 88 03-09



GLOVES, TECHNICAL GRIP
529 88 03-10



GLOVES, TECHNICAL GRIP
529 88 03-12



BATTERY BAG
585 37 18-01



BATTERY BELT FLEXI -
CONNECTOR KIT
590 77 67-03



PROTECTIVE GLASSES - SUN X
544 96 37-03



HUSQVARNA HEDGE TRIMMER
SPRAY
538 62 92-01