



Husqvarna 240i with battery and charger

The battery-powered Husqvarna 240i chainsaw has been developed to provide high power and ease of use. Work can be done comfortably and ergonomically thanks to the compact, lightweight design. When cutting firewood or felling trees in the garden, the Max Torque Technology will ensure reliable power and minimise the risk of the chain getting stuck in the wood. The user experience is also improved by the user-friendly keypad with on/off button and the well-balanced saw body. Battery removal is facilitated by the fact that the battery is positioned horizontally through the machine, reducing the risk of dirt and chips entering the battery compartment. 240i is a part of Husqvarna's flexible 36V system BLi-X, allowing one battery to be used for several tools. Optionally available with tool-less chain tensioning.



Battery through body design (Pat.pend.)

The battery is placed horizontally through the machine to reduce the risk of dirt, water, chips and dust getting into the battery compartment, causing connector issues. Also, it enhances the weight distribution and balance of the tool, making it more user-friendly with increased maneuverability. The through body design also offers a high degree of flexibility since it allows battery packs of different sizes to be used.



Interchangeable Battery System

Husqvarna's flexible 36V system BLi-X offers battery power for everything from light and demanding homeowner tasks to professional use. One battery can be used for several tools, and the wide range of options, from lightweight integrated to backpack batteries, makes it easy to find a tailored, powerful solution that perfectly suits your task at hand. All the batteries deliver high performance, are built to be used over a long time, and can be recharged and swapped quickly for continuous use.

Max Torque Technology

Max Torque Technology ensures reliable power regardless of task and minimises the risk of the chain getting stuck in the wood during felling or sawing. Experience premium cuts and easy operation with a powerful battery engine.



Automatic shutdown

The product automatically shuts down when left unattended, extending battery life and reducing injury risk.

FEATURES

- Max Torque Technology ensures reliable power regardless of task and minimises the risk of the chain getting stuck in the wood.
- Husqvarna's flexible 36V system BLi-X offers battery power for everything from light and demanding homeowner tasks to professional use.
- The battery is placed horizontally through the machine to reduce the risk of dirt and water getting into the battery compartment.
- The product automatically shuts down when left unattended, extending battery life and reducing injury risk.
- This product does not emit CO emissions during use.
- Brushless motor for higher efficiency, longer lifetime and less maintenance compared to brushed motors.
- With the user-friendly keypad, you can optimise the product's performance with a simple push of a button.
- Convenient key eyelet for easy hanging and wall storage in narrow spaces.
- The low noise level contributes to a pleasant working environment and minimal disturbance to the surroundings.
- Compact, lightweight design for comfortable, ergonomic use and less strain on the body.

Technical Specifications

BATTERY	
Battery capacity	7.7 Ah
Battery charger	40-C80
Battery	40-B140, 36V / 4.0Ah
Battery pack weight	1.9 kg
Battery type	Li-Ion
Battery voltage	36 V
CAPACITY	
Chain speed at max power	11.8 m/s
DIMENSIONS	
Article gross weight	8300 g
Article net weight	7200 g
Bar length (inch)	14 in
Bar length	35.6 cm
Weight (excl. battery and cutting equipment)	3.5 kg
ENGINE	
Motor type	BLDC (brushless)
EQUIPMENT	
Bar mount type	HSM
Chain type	S93G
Chainsaw sub-group	Part time use chainsaws
Pitch	3/8" mini
Sprocket type	Spur 6
LUBRICANTS	
Oil pump capacity, max	9 ml/min
Oil pump capacity, min	7 ml/min
Oil pump type	Automatic
Oil tank volume	0.2 l
Power/fuel type	Battery
MATERIALS	
Master pack: Paper material	0 g
Metal total	0 g
Paper (PAP 22)	0 g
Paper material total	880 g
HDPE (02) total	0 g
PET (01) total	0 g
Plastic foil total	0 g
Plastic rigid total	0 g
Plastic total	0 g
PS/EPS/HIPS (06) total	0 g
PACKAGING	
Packaging height	323 mm
Packaging length	491 mm
Packaging volume	43.77 dm ³
Packaging width	276 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	102 dB(A)
Sound power level, measured	99 dB(A)
Sound pressure level at operators ear	91 dB(A)
VIBRATIONS	
Daily Vibration (Aeqv)	3.7 m/s ²
Daily Vibration Exposure (A8)	3.7 m/s ²
Daily Vibration Time (Time factor)	0.5 h
Equivalent vibration level (ahv, eq) front handle	2.6 m/s ²
Equivalent vibration level (ahv, eq) rear handle	3.7 m/s ²
Vibrations handlebar	3.5 m/s ²

ACCESSORIES



BLI20 BATTERY
967 09 17-01



HUSQVARNA CHARGER 40-C80
970 48 78-05



PREMIUM EARMUFFS WITH
HEADBAND
505 66 53-04



PROTECTIVE BOOTS - (LEATHER) WITH SAW
PROTECTION C20 SIZE - EU 39, AU/NZ 5.5
597 65 94-39



COMBI CAN 5 + 2.5L
580 75 42-01



MULTI PURPOSE GREASE
502 51 27-01



PROTECTIVE GLASSES - CLEAR X
544 96 37-01



PROTECTIVE GLASSES - SUN X
544 96 37-03



BATTERY BAG
585 37 18-01